

Industrial Pretreatment Program (IPP)

The City of Lebanon Authority IPP Program pertains to all industrial users, from all whose wastewater is treated by the City of Lebanon Authority Wastewater Treatment Facility. The program is mandated by the Federal Environmental Protection Agency (EPA). Industrial Users are follow the regulations as listed in the **City of Lebanon Authority IPP regulations** and the **Sewer Use, Rates and Regulations**.

The program maintains information on industrial users, what they do and chemicals on site. Depending on their discharge volume and processes they may be required to be permitted. This would be determined by the Compliance staff with assistance from the industry and the EPA. The **IU Survey & Renewal Form Part 1** and **IU Survey & Renewal Form Part 2** are used to start the industries records with the Authority and also as the renewal if a permit is required.

Existing industries who are not registered with the Authority please contact them so your information in on file. New industries please contact the Authority to see which li mits and regulations pertain to you.



Please contact the Industrial Pretreatment Program at compliance@lebanonauthority.org.

Dental Amalgam

On June 14, 2017, the USEPA promulgated pretreatment standards (40 CFR 441) to reduce discharges of mercury from dental offices into municipal sewage treatment plants know as Publicly Owned Treatment Works (POTWs). The final rule requires dental offices to use amalgam separators and two Best Management Practices (BMPs) recommended by the American Dental Association (ADA). As the local Control Authority, City of Lebanon Authority (CoLA) is required to implement and enforce the regulation



The Program Introduction Letter, 2017 lays out the requirements and fees of the program. There is a One Time **Dental Amalgam Compliance Report** that is needed

As equipment is changed, updated and installed, dentists are required to update the information kept on file with the City of Lebanon Authority.

Deadline – Grandfathered, existing Mercury Amalgum separators installed prior to June 14, 2017 meet the requirements until the separator is replaced or until **June 14, 2027**, whichever is sooner.

New and moved offices and or Groups letting offices are required to participate and keep their information updated.

To find EPA information on the IPP program – search the following from the web.

“EPA National Pretreatment Program Overview”

“EPA Dental Amalgam Rule”